

U.S. Patent Application Serial No. 09/771,878  
Response filed January 27, 2005  
Reply to OA dated October 5, 2004

**AMENDMENTS TO THE CLAIMS:**

Amend claims 6, 7, 8, 9-11, 16 and 17, and add new claim 18, as follows:

**Claims 1-5 (Canceled).**

**Claim 6 (Currently amended):** A packaged food comprising:

a food comprising an aqueous solution enclosed in a container; and

a container comprising:

a plastic sheet comprising a surface portion;

at least one vent hole provided in said surface portion; and

at least one hole-sealing sheet for sealing said vent hole, comprising:

a base material; and

a pressure sensitive adhesive layer provided on said base material for  
attaching said hole-sealing sheet to said surface portion surrounding said vent hole,  
consisting of:

a styrene butadiene-based rubber;

an acryl-based rubber; and

a rosin-based or a petroleum resin-based material,

wherein said hole-sealing sheet ~~possess~~ possesses both pressure sensitive and thermo-sensitive properties, and has a vertical peeling strength of not less than 1 N/cm at a temperature in

U.S. Patent Application Serial No. 09/771,878  
Response filed January 27, 2005  
Reply to OA dated October 5, 2004

the range of 40°C or lower, and has a vertical peeling strength of no higher than 0.1 N/cm at a temperature in the range of 80°C or higher.

**Claim 7 (Currently amended):** A container for packaging food, comprising:

a plastic sheet comprising a surface portion;

at least one vent hole provided in said surface portion; and

at least one hole-sealing sheet for sealing said vent hole, comprising:

a base material; and

a pressure sensitive adhesive layer provided on said base material for attaching said hole-sealing sheet to said surface portion surrounding said vent hole, consisting of:

a styrene butadiene-based rubber;

an acryl-based rubber; and

a rosin-based or a petroleum resin-based material,

wherein said hole-sealing sheet ~~possess~~ possesses both pressure sensitive and thermo-sensitive properties, and has a vertical peeling strength of not less than 1 N/cm at a temperature in the range of 40°C or lower, and has a vertical peeling strength of no higher than 0.1 N/cm at a temperature in the range of 80°C or higher.

U.S. Patent Application Serial No. 09/771,878  
Response filed January 27, 2005  
Reply to OA dated October 5, 2004

**Claim 8 (Currently amended):** The container for packaging food, of claim 7, wherein said at least one vent hole is centrally located in said plastic sheet.

**Claim 9 (Currently amended):** The container for packaging food, of ~~any one of claims~~ claim 7 or 8, wherein said pressure sensitive adhesive layer of said hole-sealing sheet, has an uneven width ~~and is provided on said base material such that said pressure sensitive adhesive layer covers a periphery of said vent hole.~~

**Claim 10 (Currently amended):** The container for packaging food, of ~~any one of claims~~ claim 7 ~~or 9~~, wherein said base material comprises a white chemical paper.

**Claim 11 (Currently amended):** The container for packaging food, of ~~any one of claims~~ ~~2 or~~ claim 9, wherein a center position of said vent hole is slightly misaligned with a center position of said hole-sealing sheet.

**Claim 12 (Previously Presented):** The container for packaging food of claim 7, said plastic sheet comprising one or more materials selected from the group consisting of polypropylene, polyester, polysulfone, polyamide, and polycarbonate.

U.S. Patent Application Serial No. 09/771,878  
Response filed January 27, 2005  
Reply to OA dated October 5, 2004

**Claim 13 (Previously Presented):** The container for packaging food of claim 7, said plastic sheet comprising a laminated sheet comprising one or more materials selected from the group consisting of polypropylene, polyester, polysulfone, polyamide, and polycarbonate, and a material selected from the group consisting of polyacrylate, polyvinylidene chloride, and polyvinyl alcohol.

**Claim 14 (Previously Presented):** The container for packaging food of claim 7, said base material comprising polyester or polypropylene.

**Claim 15 (Previously Presented):** The container for packaging food of claim 14, said hole-sealing sheet further comprising aluminum deposited thereon to reflect microwaves.

**Claim 16 (Currently amended):** The container for packaging food of claim 15, wherein said hole-sealing sheet is colorless.

**Claim 17 (Currently amended):** The container for packaging food of claim 15, wherein said hole-sealing sheet is white.

**Claim 18 (New):** A container for packaging food, comprising:  
a plastic sheet comprising a surface portion;

at least one vent hole provided in said surface portion; and  
a hole-sealing sheet for sealing said vent hole; and  
a pressure sensitive adhesive layer provided between said hole-sealing sheet and said surface portion in a region surrounding said vent hole, such that a non-adhesive portion is present immediately around said vent hole; and

wherein said hole-sealing sheet possesses both pressure sensitive and thermo-sensitive properties, and has a vertical peeling strength of not less than 1 N/cm at a temperature in the range of 40°C or lower, and has a vertical peeling strength of no higher than 0.1 N/cm at a temperature in the range of 80°C or higher.